Night Vision 25

Scan for ratings and reviews



Enhancing light as only 3M can





Sun Control Window Films

Performance Results on 1/4" Clear: Visible Light Transmitted 24% Total Solar Energy Rejected 61% UV Light Rejected 99.9% Glare Reduction 73%

Visible Light Reflected Interior 7% Visible Light Reflected Exterior 19% Solar Heat Reduction 52%

Night Vision 25

Scan for ratings and reviews



Enhancing light as only 3M can



Night Vision 25 Benefits:

- Great heat rejection helps provide energy savings and improved comfort
- A warm natural hue invites warmth and beauty to any room
- Extends the life of furnishings by significantly reducing UV rays, the largest cause of fading
- Low interior reflectivity, especially at night!
- 3M nano-technology enhances color stability
- Reduces glare and eye discomfort
- Comprehensive 3M manufacturer's warranty
- Increases personal safety from flying glass
- Scratch resistant coating


Performance data generated for a typical film


on 6mm glass using applicable industry test

methods and standards.



Interior View





Glass Type (All 1/4")	Single Pane Clear	Single Pane Tinted	Double Pane Clear	Double Pane Tinted
Visible Light Transmitted	24%	14%	22%	13%
Total Solar Energy Rejected	61%	64%	51%	63%
UV Light Rejected	99.9%	99.9%	99.9%	99.9%
Glare Reduction	73%	74%	72%	73%
Visible Light Reflected Int.	7%	7%	8%	8%
Visible Light Reflected Ext.	19%	10%	24%	12%
Solar Heat Gain Coefficient	0.39	0.36	0.49	0.37
Luminous Efficacy	0.6	0.4	0.4	0.4
U Value	1.00	1.00	.47	.47
Solar Heat Reduction	52%	43%	29%	27%



Renewable Energy Division

3M Center, Building 235-2S-27 St. Paul, MN 55144-1000 Printed in U.S.A. © 3M 2012 70-0709-0359-9 (122)ii

For color and appearance on our sample cards, no UV Protection or Abrasion Coating has been applied.

Exterior View



